

# DATASHEET

Splicebox sliding unit, with LC-Duplex metal adapter and stripped pigtails, OS2



## Description

completely assembled splice box with adapters and coloured pigtails  
 metal housing depth adjustable  
 cable entries at the rear, incl. 1 x PG16  
 6 x self adhesive fiber tray

**Special assembly possible at short notice!**

## General data

|                            |                                 |
|----------------------------|---------------------------------|
| Mounting method            | 482.6 mm (19 inch)-installation |
| With housing               | True                            |
| With front plate           | True                            |
| With pigtails              | True                            |
| Number of height units     | 1                               |
| Type of connector external | LC-Duplex                       |
| Type of connector interior | LC-Duplex                       |
| Pigtails prepared          | stripped                        |
| Sliding                    | sliding version                 |
| Fibre type                 | Singlemode                      |
| Fibre class                | OS2                             |
| Adapter material           | Metall adapter                  |

## Dimensions

|        |         |
|--------|---------|
| Height | 44.5 mm |
|--------|---------|

This datasheet was created automatically on 18-11-2020 . Technical changes reserved.



# DATASHEET

## Splicebox sliding unit, with LC-Duplex metal adapter and stripped pigtails, OS2

### Dimensions

|       |          |
|-------|----------|
| Width | 483.0 mm |
| Depth | 244.0 mm |

### Available variants

| Article no.  | Title  | Pigtail     | With number of couplings/adapters | Adapter colour | Suitable for number of couplings/adapters | Colour | RAL-number |
|--------------|--|-------------|-----------------------------------|----------------|---|--------|------------|
| BA71922.12   | Splicebox LC 9/125 $\mu$ s.u. 12pig. str./6adapt.      | 12 x LC     | 6                                 | metal          | 12  | grey   | 7035       |
| BA71922.24   | Splicebox LC 9/125 $\mu$ s.u. 24pig. str./12adapt.     | 24 x LC     | 12                                | metal          | 12  | grey   | 7035       |
| BA71922.48   | Splicebox LC 9/125 $\mu$ s.u. 48pig. str./24adapt.     | 48 x LC     | 24                                | metal          | 24  | grey   | 7035       |
| BA71922TS.12 | Splicebox LC 9/125 $\mu$ s.u. 12pig. str./6adapt.      | 12 x LC     | 6                                 | metal          | 12  | black  | 9005       |
| BA71922TS.24 | Splicebox LC 9/125 $\mu$ s.u. 24pig. str./12adapt.     | 24 x LC     | 12                                | metal          | 12  | black  | 9005       |
| BA71924.12   | Splicebox LC-APC 9/125 $\mu$ s.u. 12pig. str./6adapt.  | 12 x LC/APC | 6                                 | metal          | 12  | grey   | 7035       |
| BA71924.24   | Splicebox LC-APC 9/125 $\mu$ s.u. 24pig. str./12adapt. | 24 x LC/APC | 12                                | metal          | 12  | grey   | 7035       |
| BA71924.48   | Splicebox LC-APC 9/125 $\mu$ s.u. 48pig. str./24adapt. | 48 x LC/APC | 24                                | metal          | 24  | grey   | 7035       |

### accessory

|            |  |
|------------|--|
| 53012.1    | Cable Glands, Standard                         |
| 80362.2-10 | FO Marking Strips "Warnung vor Laserstrahlung" |

This datasheet was created automatically on 18-11-2020 . Technical changes reserved.



# DATASHEET

Splicebox sliding unit, with LC-Duplex metal adapter and stripped pigtails, OS2

## accessory

|         |                              |
|---------|------------------------------|
| 53010.5 | Cable gland PG-16            |
| 39926.1 | Miller® Fiber Cleaning Tapes |

This datasheet was created automatically on 18-11-2020 . Technical changes reserved.

