

ATEM 1 M/E Advanced Panel



The new ATEM 1 M/E Advanced Panel is an elegantly designed professional hardware control panel for all ATEM switchers. It combines modern design with the latest broadcast technology for faster workflows. The new design features a built in LCD and high quality curved buttons that help reduce incorrect key presses. The buttons also have color backlighting to help you quickly recognize important keys. You also get a professional joystick for DVE and camera adjustments, smooth weighted t-bar fader and much more. The buttons feature dynamic displays that allow full customization of the labels as well as custom colors. The shift buttons allow you to double up the number of inputs by selecting a second set of shifted source buttons so you can control up to 20 inputs. The compact size and durable design of the ATEM 1 M/E Advanced Panel fits in a standard equipment rack, making it perfect for shelf mounting in broadcast trucks, mobile racks and fly away kits.


Connections

Ethernet

2 x 10/100/1000 BaseT with loop output for additional control panels or computers

Software Updates

1 x USB-C for firmware updates



Product Specifics

Direct Cross Points	DSK Transition Selectors	Destination Bus
10	Auto, Cut, Tie/Preview.	1
Shifted Cross Points	Preview Transition	Source Select Bus
20	1	1
Crosspoint Button Type	Transition Rate Displays	Fader Bar
Tri-Color LED	Via main menu	1
Crosspoint Label	LCD Menu Displays	3 Axis Joystick
3 rows 24 character LCD	3	1
Next Transition Selectors	Menu Control	Numeric Keypad
BKG, Key 1 - Key 4.	20 buttons	1
On-Air indicator	Dedicated Macro Buttons	
4	10	
Power Status Indicators	Multi Control Buttons	
None	None	

Software

Software Applications

ATEM Software Control Panel.

Operating Systems



Mac 10.14 Mojave,
Mac 10.15 Catalina or later.



Windows 8.1 and 10.

Power Requirements

Input Voltage	Redundant Power	Power Usage
1 x Internal 100 - 240V AC.	Yes	45W

Physical Specifications



Environmental Specifications

Operating Temperature

0° to 40° C (32° to 104° F)

Storage Temperature

-20° to 60° C (-4° to 140° F)

Relative Humidity

Up to 95%

What's Included

ATEM 1 M/E Advanced Panel

Warranty

12 Month Limited Manufacturer's Warranty.

Blackmagic Design Authorized Reseller