

5in Micro USB to USB OTG Host Adapter M/F

Product ID: UUSBOTG



The UUSBOTG Micro USB On-The-Go (OTG) Adapter Cable features a Micro USB male (B-type) connector and a USB female (A-type) connector, delivering a simple way to convert your Micro USB OTG capable tablet computer or Smartphone into a USB On-the-go host, and enables you to connect a USB peripheral device such as a thumb drive, or USB mouse or keyboard, etc.

This USB to Micro USB Host OTG cable is designed and constructed for maximum durability, to ensure dependable, long-lasting connections, and is backed by StarTech.com's lifetime warranty.

Please Note: This adapter will only work with devices that support USB OTG. Please consult your documentation and/or your service provider to ensure that your device does support USB OTG functionality.

Certifications, Reports and Compatibility

Applications

- Add a standard USB port to your Micro USB OTG capable tablet computer or Smartphone
- Connect a USB keyboard or mouse to your tablet
- · Connect a thumb drive to your tablet, cell phone or eReader, for removable data storage

Features

- Support for USB OTG (On-the-Go) capable devices
- 1x Micro USB 'B' male connector



- 1x USB 'A' female connector port
- Aluminum-Mylar Foil with Braided Shielding
- Durable PVC construction

Hardware

Warranty Lifetime

Connector Plating Nickel

Cable Jacket Material PVC - Polyvinyl Chloride

Cable Shield Material Aluminum-Mylar Foil with Braid

Connector(s)

Connector A USB Micro-B (5 pin)

Connector B USB Type-A (4 pin) USB 2.0

Physical Characteristics

Color Black

Wire Gauge 28 AWG

Cable Length 5.0 in [12.7 cm]

Product Length 5.0 in [12.7 cm]

Product Width 0.6 in [15 mm]

Product Height 0.3 in [8 mm]

Weight of Product 0.2 oz [7 g]

Packaging Information

Package Quantity 1

Package Length 4.9 in [12.5 cm]

Package Width 3.5 in [90 mm]

Package Height 0.4 in [10 mm]

Shipping (Package)

Weight

0.4 oz [10 g]



What's	in	the
Box		

Included in Package 5 inch Micro USB OTG Adapter M/F

^{*}Product appearance and specifications are subject to change without notice.