

USB C to Gigabit Ethernet Adapter/Converter w/PD 2.0 - 1Gbps USB 3.1 Type C to RJ45/LAN Network w/Power Delivery Pass Through Charging - TB3 Compatible/ MacBook Pro Chromebook

Product ID: US1GC30PD



Now you can add a wired network connection to your USB-C enabled laptop, tablet or desktop computer. Ideal for mobile use, this USB-C to Ethernet adapter plugs into your USB-C or Thunderbolt 3 port to provide wired network access. Plus you can charge your laptop as you work. It makes a great companion for your MacBook, Chromebook Pixel, Dell XPS 12, or other device.

Extend the capability of your laptop's USB-C port, by gaining a wired internet connection virtually anywhere you go. The USB-C network adapter connects to your USB-C port to provide a reliable Gigabit Ethernet connection. It supports full Gigabit bandwidth, by harnessing the performance of USB 3.0 (5 Gbps), also known as USB 3.1 Gen 1, letting you quickly access large files over the network. You can connect to a network in locations where Wi-Fi is unavailable or unreliable, such as in classrooms, offices, and hotels.

The USB-C network adapter lets you power and charge your laptop as you work. The adapter supports Power Delivery 2.0, so instead of carrying multiple power adapters, you can use your laptop's USB-C power adapter to power both your laptop and network adapter. Note: just make sure your laptop's USB-C based power adapter supports USB Power Delivery 2.0.

Compact and portable, this USB-C Gigabit network adapter is the ideal desktop network adapter or laptop accessory. It's powered directly from the USB port making it easy to connect when you're on the go.

This Gigabit Ethernet (GbE) network adapter provides a reliable network connection without even having to install drivers. It's ready to go - the network adapter chipset provides native driver support to ensure a quick setup. Simply plug the adapter into the USB-C port on your laptop and connect to your network.

The US1GC30PD is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Ideal for mobile professionals who require wired network connections
- Access a wired network in locations where Wi-Fi is unavailable or unreliable, such as in classrooms, offices, and hotels
- · Charge your laptop and your network adapter at the same time, using your laptop's USB-C power adapter

Features

- WIRED CONNECTIVITY: Use this USB C to Gigabit Ethernet adapter to add wired LAN connectivity to your USB Type-C/Thunderbolt device like Apple MacBook, MacBook Pro, Microsoft Surface, & HP EliteBook
- CHARGE WHILE YOU WORK: Power Delivery 2.0 passthrough charging lets you plug a USB-C charger into the USB C Network Adapter to charge your device while connected to wired GbE; For home office/travel
- TECH SPECS: USB-C Interface Thunderbolt 3 PD 2.0 1x RJ45 1 Gbps 1000/100/10 Mbps Auto-Negotiation Realtek RTL8153 9K Jumbo Frame VLAN Compact Design USB Powered Link&Activity LED
- PLUG-AND-PLAY: Quick setup & compatibility with many OS and hypervisors incl. Windows XP, 7, 8.x, 10, Windows Server 2016/Linux LTS Kernel 3.14/macOS 10.11 to 10.15/VMware ESXi 6.5, 6.7, 7.0
- THE STARTECH.COM ADVANTAGE: StarTech.com offers a 2-year warranty on this USB-C to Gigabit Ethernet Adapter Converter and free lifetime 24/5 multilingual technical support based in North America

Hardware

Warranty 2 Years

USB-C Host Connection Yes

Fast-Charge Port(s) No

Ports 1

Interface USB 3.0

RJ45 (Gigabit Ethernet)

Bus Type USB 3.0

Industry Standards IEEE 802.3, 802.3u and 802.3ab

Chipset ID Realtek - RTL8153

Performance

Maximum Data Transfer 5 Gbps (USB 3.0)



Rate

2 Gbps (Ethernet - Full-Duplex)

Type and Rate USB 3.0 - 5 Gbit/s

UASP Support Yes

Flow Control Full duplex flow control

Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes

Full Duplex Support Yes

Jumbo Frame Support 9K max.

Connector(s)

Connector Type(s) USB Type-C (24 pin) USB 3.0 (5Gbps)

RJ-45

USB-C (24 pin) USB Power Delivery only

Software

OS Compatibility Windows 10

Windows Server 2016, 2019

macOS 10.11 to 10.15, 11.0 <i>VLAN tagging is currently not

supported in macOS</i>

Chrome OS

Special Notes / Requirements

System and Cable

Requirements

Available USB Type-C port - USB 3.0 (5Gbps) (to ensure the network adapter powers and charges your laptop, your host laptop's USB-C

port must support USB Power Delivery 2.0)

Optional: USB-C power adapter (for example, your laptop's USB-C

based power adapter)

Note The adapter's USB-C port is for USB Power Delivery only. It does not

support DisplayPort alt mode, or data transfers.

Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host laptop's USB-C port supports USB

Power Delivery 2.0

The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a



power adapter is connected to the hub, it will not pass power through to your host laptop.

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to $5\mbox{Gbps}.$

Indicators

LED Indicators Link (green)

Activity (yellow)

Power

Power Source USB-Powered

Power Delivery 60W

Environmental

Operating Temperature 0C to 70C (32F to 158F)

Storage Temperature -10C to 80C (14F to 176F)

Humidity 5% ~ 90% RH

Physical Characteristics

Color Black

Material Plastic

Cable Length 0.5 in [12 mm]

Product Length 2.5 in [62.5 mm]

Product Width 1.6 in [40 mm]

Product Height 0.7 in [17 mm]

Weight of Product 1.2 oz [34 g]

Packaging Information

Package Length 6.9 in [17.4 cm]

Package Width 5.8 in [14.7 cm]

Package Height 1.3 in [32 mm]

Shipping (Package)

Weight

4.0 oz [113 g]



What's in the Box

Included in Package USB-C adapter

quick-start guide

^{*}Product appearance and specifications are subject to change without notice.