

Mini DisplayPort 1.2 to VGA Adapter Converter – Mini DP to VGA – 1920x1200

## Product ID: MDP2VGA2



The MDP2VGA2 Mini DisplayPort to VGA converter enables you to connect your Mini DisplayPort video source (Macbook or any mDP-equipped Microsoft Surface Pro devices) to a VGA monitor or projector, saving the expense of upgrading to a Mini DisplayPort compatible display.

With a small foot print and no external power adapter this mDP to VGA adapter ensures maximum portability making it an ideal laptop accessory.

Compatible with Intel Thunderbolt, when connected directly to a supporting DisplayPort over Thunderbolt I/O port, the adapter supports resolutions up to 1920x1200 (WUXGA).

The MDP2VGA2 is backed by a 3-year StarTech.com warranty and free lifetime technical support.

## **Certifications, Reports and Compatibility**

## **Applications**

- Use with single-mode Mini DisplayPort video outputs that are not capable of outputting multimode DP++ signals, such as ATI Eyefinity video cards
- Ideal for using your VGA monitor as a secondary display
- Connect your VGA display device (monitor, projector) directly to a Mini DisplayPort 1.2 output device
- Works to output VGA video from your Surface Pro 4, Surface Pro 3, Surface 3 or Surface Pro 2

## **Features**



- Supports display resolutions up to 1920x1200/1080p
- Compatible with Intel Thunderbolt devices that are capable of outputting a DisplayPort signal
- Plug-and-play installation
- DisplayPort 1.2 Compliant

| Hard | lware |
|------|-------|
|------|-------|

Warranty 3 Years

Active or Passive Adapter Active

AV Input Mini DisplayPort - 1.2

AV Output VGA

Audio No

Chipset ID Analogix - ANX9833

Performance

Maximum Analog

Resolutions

1920x1200 / 1080p (output)

Maximum Digital

Resolutions

1920x1200 / 1080p (input)

Wide Screen Supported Ye

Audio Specifications VGA - No Audio Support

Connector(s)

Connector A Mini-DisplayPort (20 pin)

Connector B VGA (15 pin, High Density D-Sub)

**Environmental** 

Operating Temperature 0C to 45C (32F to 113F)

Storage Temperature -10C to 80C (14F to 176F)

Humidity 10%-85%RH

Physical Characteristics

Color Black



|                          | Cable Length                 | 7.1 in [18 cm]                      |
|--------------------------|------------------------------|-------------------------------------|
|                          | Product Length               | 8.7 in [22.0 cm]                    |
|                          | Product Width                | 1.4 in [35.0 mm]                    |
|                          | Product Height               | 0.3 in [8.0 mm]                     |
|                          | Weight of Product            | 1.0 oz [27.0 g]                     |
| Packaging<br>Information |                              |                                     |
|                          | Package Length               | 8.7 in [22.0 cm]                    |
|                          | Package Width                | 7.9 in [20.0 cm]                    |
|                          | Package Height               | 0.7 in [18.0 mm]                    |
|                          | Shipping (Package)<br>Weight | 1.3 oz [36.0 g]                     |
| What's in the Box        |                              |                                     |
|                          | Included in Package          | Mini DisplayPort 1.2 to VGA Adapter |

<sup>\*</sup>Product appearance and specifications are subject to change without notice.