

# Wide Angle 4K ePTZ with IP Streaming

AW-UE4

The AW-UE4 electronic PTZ Camera supports up to 4K/30P video output



## KEY FEATURES

- Ultra wide-angle lens with 111° field of view
- Supports up to 4K/30p video output
- Video output via 3 interfaces, including HDMI, LAN & USB
- Supports PoE or USB power options
- AW-UE4K (black) / AW-UE4W (white) 4K electronic Remote Camera

Compact 4K ePTZ Camera for up to 4K 30p high quality video output. Equipped with an ultra-wide-angle lens with a 111° field of view and capable of video output with three interfaces, HDMI, LAN and USB. The AW-UE4 is ideal for spaces both large and small, with a wide-angle of view perfect for huddle spaces or e-sports production.

Equipped with an ultra-wide-angle lens with a 111° field of view to capture every part of even the largest spaces and transmit wide-angle video in limited installation space.

## Download the PTZ Angle of View & Object Distance calculator



The unit supports PoE\* supply as well as used as a USB camera that can be powered from a computer, realizing a single cable solution for video transmission, camera control and power supply.

Furthermore, the unit boasts high-performance operability through RTMP (Real-Time Messaging Protocol) compatibility for direct upload of video to live-streaming services, and is also excellent for live production. The camera handles both large and small spaces thanks to 4K high image quality and wide-angle video output that's perfect for recording everything from lectures and meetings to e-Sports production.

\*: PoE is the abbreviation for Power over Ethernet.

**Latest Update**

Go to the 'Images and Videos' section of this page to see more videos.

## SPECIFICATIONS

<b>Dimensions (W x H x D)</b>	123 mm x 131 mm x 136 mm (4-53/64 inches x 5-5/32 inches x 5-11/32 inches)
<b>Footnote</b>	Preliminary specifications are subject to change without prior notice.
<b>Lens</b>	Digital zoom: 4x
<b>Internal Microphone</b>	Yes (with mute function)
<b>Video Output</b>	HDMI, IP, USB
<b>Power Requirements</b>	DC 5 V (USB) DC 42 V - 57 V (PoE)
<b>Tilting Range</b>	50° (±25°)
<b>Imaging Sensors</b>	1/2.5-type MOS
<b>Panning Range</b>	220° (±110°)
<b>Camera/Pan-Tilt Head Control</b>	Manual adjustment
<b>Angle of View Range</b>	111°

URL: <https://business.panasonic.co.uk/professional-camera/Remote-Camera-Systems/PTZ-Cameras/aw-ue4>

## CONTACT

Web: <https://business.panasonic.co.uk/professional-camera/contact-us>