

DATASHEET

Power Cable CEE7/7 90° - C5 90°, black



Description

- 2.5 A / 250 V VDE tested
- Colour black
- Suitable for Germany, Belgium, France and further (see overview)

General data

Connection 1	SCHUKO plug, angled
Connection 2	Other / IEC C5 ("Mickey Mouse")
Number of cores	3
Spiralized cable	False
Protective conductor	True
With cord switch	False
Colour outer sheath	Black

Cable sheath

Material outer sheath	PVC
Temperature resistance	0 - 70 °C

Electrical characteristics

Nominal voltage	250 V
-----------------	-------

Standards, approvals, certifications

Oil resistant (acc. EN 60811-2-1)	False
-----------------------------------	-------

Available variants

This datasheet was created automatically on 18-11-2020 . Technical changes reserved.



DATASHEET

Power Cable CEE7/7 90° - C5 90°, black

Article no.	Title	Nominal cross section conductor	Outer diameter approx.	Length
EK551.1,8	Power Cable CEE7/3 90° - C5 90°, black, 1.8 m, 3 x 0.75 mm ²	0.75 mm ²	6.8 mm	1.8 m
EK551.3	Power Cable CEE7/3 90° - C5 90°, black, 3.0 m, 3 x 0.75 mm ²	1.00 mm ²	7.1 mm	3.0 m
EK551.5	Power Cable CEE7/3 90° - C5 90°, black, 5.0 m, 3 x 0.75 mm ²	1.00 mm ²	7.1 mm	5.0 m

This datasheet was created automatically on 18-11-2020 . Technical changes reserved.

