

Travel A/V Adapter: 3-in-1 Mini DisplayPort to VGA DVI or HDMI Converter

Product ID: MDP2VGDVHD



This travel adapter lets you connect your mDP enabled Ultrabook or laptop computer to any VGA or HDMI display.

Backed by rigorous testing to ensure compatibility, the 3-in-1 Mini DisplayPort adapter is the perfect accessory for any of your Microsoft Surface Pro devices that are equipped with mDP.

Why carry multiple adapters when you only need one? Instead of keeping three different adapters on-hand, the mDP travel adapter offers VGA, DVI and HDMI outputs, so you'll be able to connect from your laptop mDP output to any modern boardroom or classroom display -- an ideal plug-and-play solution for BYOD (Bring Your Own Device) applications at the office.

Plus, because the converter supports video resolutions up to 1920x1200 or 1080p you can convert a Mini DisplayPort video source to HDMI, VGA or DVI without sacrificing video quality.

The travel A/V adapter maximizes portability with a small footprint and lightweight design. The convenient design ensures the adapter is as portable as your laptop, fitting easily into your laptop bag or carrying case and eliminates the need to carry more than one adapter. With this adapter you can walk into virtually any boardroom ready to present, making a great first impression, and saving you the embarrassment of having to rummage through your bag looking for the right connector.

The 3-in-1 converter is compatible with the Intel Thunderbolt port on your computer and installs easily with no software or drivers required.

The MDP2VGDVHD is backed by a 3-year StarTech.com warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications



- Keep the adapter with you while traveling, to connect to virtually any display you come across
- Connect your BYOD laptop/Ultrabook to a provided HDMI, DVI, or VGA display at work
- Connect a DVI, VGA, or HDMI display to your Mini DisplayPort laptop, to use as a secondary monitor

Features

- Three-in-one adapter mDP to VGA, mDP to HDMI and mDP to DVI
- Plug-and-play installation
- Support for video resolution up to 1920x1200/1080p
- Compatible with Intel Thunderbolt devices that are capable of outputting a DisplayPort signal
- Small footprint
- Lightweight design

Hardware

Warranty 3 Years

Active or Passive Adapter Active

Passive

AV Input Mini DisplayPort - 1.2

AV Output DVI-D - Single-Link

HDMI - 1.4

VGA

Audio Yes

Performance

Maximum Cable Distance 49.9 ft [15.2 m]

To Display

Maximum Analog Resolutions

1920x1200/1080p

Maximum Digital Resolutions

1920x1200/1080p

Wide Screen Supported Yes



Audio Specifications DVI - No Audio Support

HDMI - 7.1 Channel Audio

VGA - No Audio Support

Connector(s)

Connector A Mini-DisplayPort (20 pin)

Connector B DVI-D (25 pin)

VGA (15 pin, High Density D-Sub)

HDMI (19 pin)

Special Notes / Requirements

Note Only one video output is supported on the video adapter at a time. If

multipleconnections are made, only one of the outputs will function.

The HDMI port is a passive port.

The DVI-D is a passive port.

The VGA port is an active port.

Maximum Cable Distance to Display refers to digital video. VGA distance capabilities are dependent upon the quality of your cabling

Environmental

Operating Temperature 0C to 45C (32F to 113F)

Storage Temperature -10C to 80C (14F to 176F)

Humidity 10~85% RH

Physical Characteristics

Color Black

Cable Length 5.9 in [15 cm]

Product Length 10.6 in [27.0 cm]

Product Width 1.8 in [45.0 mm]

Product Height 0.6 in [15.0 mm]

Weight of Product 2.0 oz [57.0 g]



Packaging Information

Package Length 8.7 in [22.0 cm]

Package Width 7.9 in [20.0 cm]

Package Height 0.7 in [18.0 mm]

Shipping (Package)

Weight

2.3 oz [66.0 g]

What's in the

Box

Included in Package Mini DisplayPort to HDMI/VGA/DVI Adapter

Installation Guide

^{*}Product appearance and specifications are subject to change without notice.